


LB-OH-159-15-C-7 Octave Horn Antenna 4-8GHz 15dB Gain 7mm



Octave Horn Antenna Operating From 4GHz to 8GHz With a Nominal 15dB Gain With 7mm Connector

Product Information

SKU	LB-OH-159-15-C-7
-----	------------------

Description

Octave horn antenna LB-OH-159-15-C-7, operating from 4 to 8GHz with a nominal 15dB gain and low VSWR 1.5:1 with 7mm output connector. The model LB-OH-159-15-C-7 has uniform gain through its frequency span, providing efficient performance characteristics and directionality. It can handle 150W continuously and 3000W peak power. Constructed of lightweight corrosion-resistant aluminum, the antenna will provide years of trouble-free indoor and outdoor service. This octave horn antenna is linearly polarized and ideally suited for EMI testing, direction finding, surveillance, antenna gain and pattern measurements and other applications.

Technical Specification


Electrical Specification		Interface	
Frequency, Min (GHz)	4	Output Type	Coaxial
Frequency, Max (GHz)	8	Connector	7mm
Gain, Typ (dBi)	15	Connector Gender	N/A
Polarization	Linear	Mechanical Specification	
3dB Beamwidth, E-Plane, Min (Deg.)	17	Body Material	Al
3dB Beamwidth, E-Plane, Max (Deg.)	44	Finish	Chemical Conversion Coating, Gray Paint
3dB Beamwidth, H-Plane, Min (Deg.)	18	Size, W (mm)	138.1
3dB Beamwidth, H-Plane, Max (Deg.)	40	Size, H (mm)	102.9
Cross Pol. Isolation, Typ (dB)	40	Size, L (mm)	230
VSWR, Typ	1.5:1	Weight, (kg)	0.5
Impedance, (Ohm)	50		
Power Handling, CW, (W)	150		
Power Handling, Peak, (W)	3000		

Additional Information


Application	General Purpose Indoor & Outdoor, Fixed	Solution for	Gain Reference Antenna Measurement Far-field Measurement System Intergration
-------------	---	--------------	---

Outline Drawing


7mm Output (P/N: LB-OH-159-15-C-7)



7mm Output with Round Mounting Bracket (Option, P/N: LB-159-10-C-MB)




7mm Output with L Type Mounting Bracket (Option, P/N: LB-159-10-C-MBL)




Typical Test Results

Gain




Antenna Factor




Antenna Factor (Table)

Frequency(GHz)	Gain(dBi)	AF(dB/m)
4	14.04	28.21
4.25	13.85	28.93
4.5	14.19	29.08
4.75	15.29	28.45
5	15.23	28.96
5.25	15.49	29.13
5.5	16.19	28.83
5.75	16.90	28.50
6	16.79	28.98
6.25	17.17	28.96
6.5	17.43	29.04
6.75	18.00	28.80
7	17.42	29.70
7.25	17.86	29.56
7.5	18.52	29.19
7.75	18.46	29.54
8	18.45	29.82


Cross Polarization Isolation




VSWR















Beamwidth





Pattern









Related Products




LB-159-10-C-MB Round Type Mounting Bracket




LB-159-10-C-MBL L type mounting bracket


Similar Products




LB-OH-159-15-C-NF Octave Horn Antenna 4-8GHz 15dB Gain N Type Female



LB-OH-159-15-C-NFSP0 Octave Horn Antenna 4-8GHz 15dB Gain N Type Female




LB-OH-159-15-C-SF Octave Horn Antenna 4-8GHz 15dB Gain SMA Female



LB-OH-159-15-C-SFSP0 Octave Horn Antenna 4-8GHz 15dB Gain SMA Female




LB-OH-159-15-C-TF Octave Horn Antenna 4-8GHz 15dB Gain TNC Female




LB-OH-159-15-C-TFSP0 Octave Horn Antenna 4-8GHz 15dB Gain TNC Female



LB-OH-159-15-C-7SPO Octave Horn Antenna 4-8GHz 15dB Gain 7mm



LB-OH-159-15-C-3.5F Octave Horn Antenna 4-8GHz 15dB Gain 3.5mm Female



LB-OH-159-15-C-3.5FSP0 Octave Horn Antenna 4-8GHz 15dB Gain 3.5mm Female

About this Datasheet

- **Product Information**

Product Link:
<https://www.ainfoinc.com/lb-oh-159-15-c-7-octave-horn-antenna-4-8-ghz-15db-gain-7mm>

Data subject to change without notice.
 © A-INFO INC. 2024. All Rights Reserved

- **Contact Us**

Address:
 60 Tesla, Irvine, CA 92618, USA

Website:
www.ainfoinc.com

Email:
sales@ainfoinc.com

- **Phone & Fax**

Phone:
 +1-949-639-9688
 +1-949-639-9608

Fax:
 +1-949-639-9670